

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	25	I1 and (chip resistor). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	SAME	ON	2008/06/04 13:56
L2	77	I1 and chip resistor	US-PGPUB; USPAT; USOCR; EPO; JPO	SAME	ON	2008/06/04 13:56
L1	80	Tsukada Torayuki.in.	US-PGPUB; USPAT; USOCR; EPO; JPO	SAME	ON	2008/06/04 13:56
S62	1747	438/123.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	SAME	ON	2008/06/04 12:57
S61	4261	438/106.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	SAME	ON	2008/06/04 12:56
S60	871	257/e21.518.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	SAME	ON	2008/06/04 12:56
S59	1543	257/536.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	SAME	ON	2008/06/04 12:56
S58	602	338/332.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	SAME	ON	2008/06/04 12:56
S57	932	338/309.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	SAME	ON	2008/06/04 12:54

S56	13	("20030197589" "20040012479" "2901381" "3801364" "4036786" "4365230" "5893765" "5973034" "6194990" "6359545" "6741221" "6870516").PN.	US-PGPUB; USPAT; USOCR	SAME	ON	2008/06/04 11:52
S55	24	S54 and (bar same method)	US-PGPUB; USPAT; USOCR	SAME	ON	2008/06/04 11:51
S54	1227	ceramic with metal with resistor	US-PGPUB; USPAT; USOCR	SAME	ON	2008/06/04 11:50
S53	18	ceramic with metal ((current adj sensor) or (shunt adj resistor))	US-PGPUB; USPAT; USOCR	SAME	ON	2008/06/04 11:49
S52	8	ceramic with metal with ((current adj sensor) or (shunt adj resistor))	US-PGPUB; USPAT; USOCR	SAME	ON	2008/06/04 11:49
S51	318	S50 and bar	US-PGPUB; USPAT; USOCR	SAME	ON	2008/06/04 11:47
S50	3591	S48 and electrode	US-PGPUB; USPAT; USOCR	SAME	ON	2008/06/04 11:47
S49	67	S48 and (plating or plated) with electrode	US-PGPUB; USPAT; USOCR	SAME	ON	2008/06/04 11:44
S48	10370	"shunt resistor"	US-PGPUB; USPAT; USOCR	SAME	ON	2008/06/04 11:43
S47	24	("4706060").PN. OR ("4992771").URPN.	US-PGPUB; USPAT; USOCR	SAME	ON	2008/06/04 11:01
S46	3	("5426560" "6002577" "6071800").PN.	US-PGPUB; USPAT; USOCR	SAME	ON	2008/06/04 10:58
S45	131	metal ceramic chip resistor	US-PGPUB; USPAT; USOCR; EPO; JPO	WITH	ON	2008/06/04 10:56

S44	10	("4786888" "4924205" "4959505" "4992771" "4993142" "5210516" "5257003" "5280263" "5294910" "5534843").PN.	US-PGPUB; USPAT; USOCR	SAME	ON	2008/06/04 10:54
S43	24	("2253360" "2253376" "4706060" "4786888").PN. OR ("4924205").URPN.	US-PGPUB; USPAT; USOCR	SAME	ON	2008/06/04 10:51
S41	6	("4467311" "4698614" "4706060" "5160912" "5170146" "5179366").PN.	US-PGPUB; USPAT; USOCR	SAME	ON	2008/06/03 10:39
S40	5	metal chip resistor	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2008/06/03 10:37
S39	9	(metal or metallic) chip resistor insulation same electrodes	US-PGPUB; USPAT; USOCR; EPO; JPO	WITH	ON	2008/06/03 10:36
S38	0	(metal or metallic) chip resistor insulation same between electrodes	US-PGPUB; USPAT; USOCR; EPO; JPO	WITH	ON	2008/06/03 10:36
S37	1073	(metal or metallic) chip resistor	US-PGPUB; USPAT; USOCR; EPO; JPO	WITH	ON	2008/06/03 10:31
S36	926	metal chip resistor	US-PGPUB; USPAT; USOCR; EPO; JPO	WITH	ON	2008/06/03 10:25

6/ 4/ 2008 2:14:07 PM

C:\Documents and Settings\jingham\My Documents\EAST\Workspaces\passive\ 10
533489 chip resistor with insulation on sides and top.wsp